

## Bayley Roof Ladders

Our products are specifically designed to meet the demanding requirements of Fire and Rescue services.

### Types of Roof Ladder

Bayley Roof ladders range from 4.5m up to 5.4m dependant on model type and configuration, we supply the ladders in single section with fixed hook(s), single section with folding hook(s) and folding hook and folding section combined.

### Roof Ladder Construction

All of our roof ladder range uses light weight but high strength Aluminium Alloys for the stiles and rungs.

The extruded rounded rungs are ribbed for high grip and the shape contributes to a stronger cross section. The rungs are swaged to the stiles enabling a very strong and stable ladder.

Within all our roof ladder range we supply as standard high strength pressure plates for roof assisted support, enabling the ladder load to be spread evenly through the pressure plates. The roof wheels are constructed from a high temperature elastomeric material.

We offer various hooks dependent on operational requirements. Please see additional information page within this document.

### Specifications & Use

We build our ladders to the BS EN1147:2010 standard.

Bayley ladders are the mainstay of Fire & Rescue Services both nationally and internationally.



PLEASE CONTACT OUR TECHNICAL SALES TEAM FOR FURTHER INFORMATION


+ AS Fire & Safety + Bayley + Collins Youldon + Todd Research

Tel: +44 1480 832200 | Fax: +44 1480 832233

[www.supplyplus.com](http://www.supplyplus.com)

## Bayley Roof Ladders

The following are the main options available for inclusion on BAYLEY Roof Ladders



**Standard**




**Ashford**

The Ashford hook offers additional height reduction over the standard folding hook.



**Hinge**



**Ferrule**

PLEASE CONTACT OUR TECHNICAL SALES TEAM FOR FURTHER INFORMATION

+ AS Fire & Safety + Bayley + Collins Youldon + Todd Research

## Bayley Roof Ladders

BAYLEY roof ladders				
Model	BL19-19	BL19-19W	BL19-19F	BL19-19WF
	fix/hook one piece	fix/hook one piece	fold/hook one piece	fold/hook one piece
Length overall	4.5m	4.5m	4.5m	4.5m
Length folded	N/A	N/A	N/A	N/A
width internal	241mm	279mm	241mm	279mm
Weight	14kg (31lbs)	14kg (31lbs)	14kg (31lbs)	14kg (31lbs)
EN 1147 Categorisation	1 person access	1 person access	1 person access	1 person access

BAYLEY roof ladders				
Model	BL19-20	BL19-20W	BL19-20F	BL19-20WF
	fix/hook one piece	fix/hook one piece	fold/hook one piece	fold/hook one piece
Length overall	5.4m	5.4m	5.4m	5.4m
Length folded	N/A	N/A	N/A	N/A
width internal	241mm	279mm	241mm	279mm
Weight	15kg (33.5lbs)	15kg (33.5lbs)	15kg (33.5lbs)	15kg (33.5lbs)
EN 1147 Categorisation	1 person access	1 person access	1 person access	1 person access

PLEASE CONTACT OUR TECHNICAL SALES TEAM FOR FURTHER INFORMATION

+ AS Fire & Safety + Bayley + Collins Youldon + Todd Research

## Bayley Roof Ladders

BAYLEY roof ladders				
Model	BL19-21	BL19-21W	BL19-21F	BL19-21WF
	fix/hook folding	fix/hook folding	fold/hook folding	fold/hook folding
Length overall	4.5m	4.5m	4.5m	4.5m
Length folded	2.87m	2.87m	2.87m	2.87
width internal	241mm	279mm	241mm	279mm
Weight	14kg (30.86lbs)	14kg (30.86lbs)	14kg (30.86lbs)	14kg (30.86lbs)
EN 1147 Categorisation	1 person access	1 person access	1 person access	1 person access

BAYLEY roof ladders				
Model	BL19-22	BL19-22W	BL19-22F	BL19-22WF
	fix/hook folding	fix/hook folding	fold/hook folding	fold/hook folding
Length overall	5.4m	5.4m	5.4m	5.4m
Length folded	3.23m	3.23m	3.23m	3.23m
width internal	241mm	279mm	241mm	279mm
Weight	15kg (33.5lbs)	15kg (33.5lbs)	15kg (33.5lbs)	15kg (33.5lbs)
EN 1147 Categorisation	1 person access	1 person access	1 person access	1 person access

PLEASE CONTACT OUR TECHNICAL SALES TEAM FOR FURTHER INFORMATION

+ AS Fire & Safety + Bayley + Collins Youldon + Todd Research